

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



782,0974,H1.3 KF 27907




Harbard College Library

FROM

Harrard Grad Magazine





Of the Paris

F37/07

SUPPLEMENT

4

Titl

THE BIRDS OF RHODE ISLAND


RV.

WEIGHNALD HERER HOWE TURIOR

AME

ROWARD STRUCTEVANT

MIDDLETOWN WHODE ISLAND



Α

SUPPLEMENT

то

THE BIRDS OF RHODE ISLAND

BY

REGINALD HEBER HOWE, JUNIOR

AND

EDWARD STURTEVANT

MIDDLETOWN RHODE ISLAND 1903 Z82.0974.141.3

SEP 23 ISM

The Harvard Eradua tos'
magazine

CONTENTS.

Prefa	CE.		•		•	•	•		•	•	4
				P	ART	ı.					
	EW OF			UBLIC			DDIT	ION T	o "C	OL-	
	TION						•			•	6
Corre	CTIONS	то тн	ie "L	IST O	г Br	EEDI	ıg Bı	RDS"		•	6
	IONS TO	LIST	OF E	BIRDS	OBSI	ERVED	ON	"Cor	MORA	NT	
R	ос к"	•	•	•	•	•	•	•	•	•	. 6
				PA	ART	II.					
Revisi	ed "An	NOTA	TED I	List"		•	•				6
"Ехті	RPATED	SPEC	ies",	•			•	•			23
"Нүрс	тн е тіс	al Li	st"	• .	•	٠	•	•		•	23
Addit	ions to	"Br	BI.IOG	RAPH	y "		•			•	23
ERRAT	Α.							_			2.1

PREFACE.

THE present supplement compiled over three years after the publication of "The Birds of Rhode Island" in October, 1899, endeavors to bring up to date the present knowledge of Rhode Island avifauna, and to correct that work both in misstatements and typographical errors.

Much aid has been rendered to the authors in the compilation of this supplement by those interested in Rhode Island ornithology, and the State can now claim, for a period of two years, Major Edgar A. Mearns as a resident ornithologist, well known as a distinguished scientist; and who in two years with his son's aid added much to the knowledge of Rhode Island birds and mammals.

Since the publication of the original work, Rhode Island has lost by death one of its most prominent and useful ornithologists—Newton Dexter. His name will certainly ever be connected with Rhode Island ornithology as a collector, true sportsman, and promoter of the study of the science in the State in which he was born, lived and died.

The order followed in the original work has for convenience been followed in the present supplement.

REGINALD HEBER HOWE, JUNIOR. EDWARD STURTEVANT.

PART I.

COLLECTIONS.

Mr. James M. Southwick has kindly rendered the following interesting report, and we must mention also, among the notable State collections, that of water birds assembled and owned by Mr. LeRoy King of Newport.

"The Rhode Island birds, donated to the Museum of Natural History at Roger Williams Park, Providence, by the late Charles H. Smith, are considered to present one of the best local collections in existence, representing as they do two hundred and ninety-two species. There are four hundred and eighty specimens, representing often the male, female, and very young birds, or conditions of spring and autumn plumage, and an occasional case of albinism. The posturing of the specimens exhibits some of the best and most recent work in taxidermy, and abundant data is available for nearly all of them. Of the whole number of specimens twenty-two were not captured in Rhode Island. The genuine specimens having been lost, or held at present by persons who do not care to part with them, it has been thought best to add these few representatives for the present.

Among our particularly interesting species I may mention: a Sooty Tern, a Leach's Petrel, found disabled on a street in the city of Providence a mile from any water; a Canvas-back Duck, the Lesser Snow Goose, and a Blue Goose, as well as a Little Brown Crane, Wood Ibis, European Corn Crake, Black Gryfalcon, Turkey Vulture, Great Gray Owl, Barn Owl and Richardson's Owl.

A Piping Plover and her young, and a Carolina Wren and her young give evidence of the breeding of those species in the State. The collection is well displayed, and is continually referred to by our visitors."

"MIGRATION."

Under the caption "Land Birds" reference should have been made to an excellent article by C. C. Trowbridge on Hawk flights which appeared in The Auk in 1895.

"A LIST OF THE BREEDING BIRDS OF RHODE ISLAND."

Meadowlark (Sturnella magna) read May 3.

Song Sparrow (Melospiza c. melodia) read May 3.

Bank Swallow (Riparia riparia) read May 15.

White-breasted Nuthatch (Sitta carolinensis) read May 17.

American Robin (Merula migratoria) read April 17.

"CORMORANT ROCK."

Add to List of Birds
Razor-billed Auk (Alca torda).
King Eider (Somateria spectabilis).
Harlequin Duck (Histrionicus histrionicus).
Kittiwake (Rissa tridactyla).
Brant (Branta bernicla).

PART II.

REVISED "ANNOTATED LIST OF THE BIRDS OF RHODE ISLAND."

1. Colymbus holbællii (Reinh.). — The bird recorded as shot by Mr. Owen Durfee was killed by a Capt. Shaw in 1885 instead of 1895.

October 23 to May 2.

2. Colymbus auritus Linn.

October 23 to May.

- 3. Podilymbus podiceps (Linn.).
- ---- to October 22.
- 4. Gavia imber (Gunn.).

September 15 to May 28.

- 5. Gavia lumme (Gunn.).
- ---- to May 22.
- 6. Cepphus grylle (Linn.).— Taunton River: A male taken Nov. 19, 1899, by a Mr. Lannigan (Notes R. I. Orn., 1900, p. 4). Middletown: One shot in April, 1900, by a gunner named Dring. (Le R. King, ibid. 1902, p. 24).

Uria troile (Linn.).— Careful investigation leaves much doubt in our minds whether this species has ever been taken in Rhode Island, and we prefer until an actual specimen can be examined to drop the species from the list. (Notes R. I. Orn. 1901, p. 11.)

7. Uria lomvia (Linn.).

November 15 to February 23.

8. Alca torda Linn.

November 15 to —

9. Alle alle (Linn.).

November 14 to ——.

Footnote: ¹O. & O., Vol. II, No. 1, p. 16 read Vol. XI, No. 1, p. 16.

- 10. Stercorarius pomarinus (Temm.).
- 11.* Stercorarius parasiticus (Linn.). Parasitic Jaeger. Charlestown Beach: Three in young plumage, Sept. 2, 1897, by J. W. White, one of which is now in the Smith collection. (Hathaway, Notes R. I. Orn., 1901, p. 15).
 - 12. Rissa tridactyla (Linn.).

November to March 23.

13. Larus glaucus Brünn. GLAUCOUS GULL. — Newport: "two adults and young spent the day of March 12, 1900, in a cove at the Life Saving Station. The immature bird appeared to be entirely white. In December, 1901, Mr. Clarke [a Newport taxidermist] mounted one that was taken off Newport. It was in

^{*}New species added to the original list are preceded by numerals in italics.

the plumage described by Richardson as Larus hutchinsi." (Mearns, Notes R. I. Orn., 1902, p. 7.).

- 14. Larus marinus Linn. Ghost Bird.
- 15. Larus argentatus Brünn. L. a. smithsonianus Coues is no longer recognized as a subspecies.
 - ---- to May 22.
- 16. Larus delawarensis Ord. RING-BILLED GULL.—An uncommon winter visitant. Only records, Narragansett Bay: a young bird taken in February 1891, now in Roger Williams Park; Lake Worden: three seen Dec. 3 and 8, 1900; Newport: several records, rather rare. (Hathaway, Notes R. I. Orn., 1900, p. 4; Mearns, 1901, p. 2; 1902, p. 8.)

November to April.

- 17. Larus atricilla Linn.—Apparently a very rare bird in Rhode Island.
 - 18. Larus philadelphia (Ord).

August 5 to May 22.

- 19. Sterna caspia Pallas.
- 20. Sterna hirundo Linn.—Breeds on Gull rock off "the cliffs" Newport, north of Rough Pt. ([Livermore], Notes R. I. Orn., 1901, p. 5).

May 10 to October 6.

- 21. Sterna dougalli Montag.
- 22. Sterna antillarum (Less.).
- 23. Sterna fuliginosa Gmel.
- 24. Hydrochelidon nigra surinamensis (Gmel.).

August 20 to September 18.

- 25. Puffinus borealis Cory.
- 26. Puffinus fuliginosus Strickland. Pt. Judith: A male taken March 28, 1902, by C. B. Clarke. (Le R. King, Notes R. I. Orn., 1902, p. 24).
 - 27. Oceanodroma leucorrhoa (Vieill.).
 - 28. Oceanodroma oceanicus (Kuhl).
 - 29. Sula bassana (Linn.).
- 30. Phalacrocorax carbo (Linn.). Footnote 1 refers to next page 1. September 15 to ——

31. Phalacrocorax auritus (Less.).

August 21 to May 22.

32. Merganser americanus (Cass.).

February 20 to May 2.

33. Merganser serrator (Linn.). Footnote: Rand. Notes, Vol. II, No. 3, page 23 read No. 4, page 34.

---- to May 19.

34. Lophodytes cucullatus (Linn.).

October to ----

35. Anas boscas Linn.

October to ----

- 36. Anas obscura Gmel.— A rather uncommon summer resident.
- 37. Anas obscura rubripes Brewst. Red-legged Black Duck.—A common winter visitant, especially along the coast.

October to May 22.

38. Chaulelasmus streperus (Linn.).

October 8 to May 4.

- 39. Mareca americana (Gmel.).
- 40. Nettion carolinense (Gmel.).

September 2 to November 7 (December 30) March.

41. Querquedula discors (Linn.).

August 27 to November 5.

42. Spatula clypeata (Linn.). Formerly not uncommon at Easton's pond, Newport.

October 2 to 28.

- 43. Dafila acuta (Linn.).
- 44. Æx sponsa (Linn.).
- ——to November 11.
- 45. Nyroca * americana (Eyt.).

October 8 to February 3.

- 46. Nyroca vallisneria (Wils.).
- ---- to November 16. April.
- 47. Nyroca marila (Linn.).

October 1 to May 1. (July 19, 1900 — cripple.)

- 48. Nyroca affinis (Eyt.).
- ---- to November 5.

^{*} By the application of the A.O. U. canons Nyroca must stand before Aythya.

- 49. Nyroca collaris (Donov.). Newport: one taken in Easton's Pond by F. P. Sands on Nov. 11, 1871.
 - 50. Clangula clangula americana Bonap.
 - 51. Charitonetta albeola (Linn.). Also a winter resident.
 - —— to December 7. February 24 to April.
 - 52. Harelda hiemalis (Linn.).
- 53. Histrionicus histrionicus (Linn.). Cormorant Rock: Three, a male and two females, November 28, 1899, E. Sturtevant (Notes R. I. Ofn., 1900, p. 3), and one December 1, 1900, Le R. King (ibid., 1901, p. 6.)
 - 54. Somateria dresseri Sharpe.
- 55. Somateria spectabilis (Linn.). Cormorant Rock: One immature male was taken by R. H. Howe, Jr. and Le R. King on September 15, 1902, (Notes R. I. Orn., 1902, p. 24). Following dates 1879 and 1884 should have been preceded by superior number 3 referring to footnote O. & O., Vol. 9. No. 3, Mar., 1884, p. 20.
 - 56. Œdemia americana Swain.
 - 57. Œdemia deglandi Bonap.
 - 58. Œdemia perspicillata (Linn.).
 - ---- to May 21.
 - 59. Erismatura jamaicensis (Gmel.).

October 1 to December 22.

- 60. Chen hyperborea (Pall.). Newport: One taken September 3, 1876, by F. P. Sands, and one September 19, 1902, both now in possession of Le R. King (Notes R. I. Orn., 1902, p. 24). See records also originally included under *Chen cærulescens*.
- 61. Chen cærulescens (Linn.). All records cited in error, and refer to *Chen hyperborea*. There is one authentic record, *Westerly:* one taken March 16, 1894, by Dr. E. R. Lewis (Notes R. I. Orn., 1900, p. 19.).
 - 62. Branta canadensis (Linn.).
 - —— to May 7. September 17 to December 29. Footnote: 3 F. & S. Vol. XXX read 3 F. & S. Vol. XL.
 - 63. Branta bernicla (Linn.).
 - —— to December 16. March 24 to April 28.
 - 64. Olor columbianus (Ord).
 - 65. Tantalus loculator Linn.

- 66. Botaurus lentiginosus (Montag.).
- 67. Ardetta exilis (Gmel.).
- --- to September 14.
- 68. Ardea herodias Linn.
- --- to May 4. --- to December 11.
- 69. Ardea egretta Gmel.

After 1899 should be superior number 6 referring to footnote number 6 Osprey, Vol. IV, No. 4, 1900, p. 59. Another record should also be added. *Sakonnet*: one taken Oct. 12, 1894. (Museum, 1894, p. 17.)

70. Ardea cærulea Linn.

After 1899 should be superior number 3 referring to footnote number 3 Osprey, Vol. IV, No. 4, 1900, p. 59.

- 71. Butorides virescens (Linn.).
- --- to September 14.
- 72. Nycticorax nycticorax nævius (Bodd.).
- 73. Nycticorax violaceus (Linn.).
- 74. Grus canadensis (Linn.).
- 75. Rallus elegans Aud. *Middletown*: A male shot on March 14, 1899, by Mr. C. B. Clarke is now in possession of Le R. King. Mr. Clarke reports having taken others (Notes R. I. Orn., 1902, p. 24).
 - 76. Rallus virginianus Linn.

May 15 to ——

77. Porzana carolina (Linn.). Footnote: *Auk, Vol. VII, No. 1, p. 89. O. & O., Vol. 14, No. 10, p. 15 read Auk, etc., No. 10, p. 159.

March 2 to November 10.

- 78. Porzana noveboracensis (Gmel.).—Add record, near Westerly: one taken "last week," September, 1897, in collection of R. J. Davey (Hathaway, Notes R. I. Orn. 1900, p. 20).
 - 79. Crex crex (Linn.).
 - 80. Ionornis martinica (Linn.).
 - 81. Gallinula galeata (Licht.).

June 6 to November 29.

82. Fulica americana Gmel.

May 28. September 26 to December 20.

83. Crymophius fulicarius (Linn.).

May 28. September 26 to December 20.

- 84. Phalaropus lobatus (Linn.). Footnote ² O. & (). Vol. XV, p. 116 read p. 166 and 188.
 - 85. Steganopus tricolor Vieill.

Note: Scolopax rusticola. Linn. European Woodcock. One doubtful record for Newport (Allen: Notes R. I. Orn., 1901, p. 6).

- 86. Philohela minor (Gmel.).
- 87. Gallinago delicata (Ord).
- ---- to May 6. (July 29) August 12 to November 14.
- 88. Macrorrhamphus griseus (Gmel.).
- to October 20.
- 89. Macrorrhamphus griseus scolopaceus (Say).—This specimen is now in Roger Williams Park.
- 90. Micropalama himantopus (Bonap.). There are occasionally remarkable local flights of this species. Records of late years have accumulated beyond the necessity of individual citing. July 6 to September 19.
- 91. Tringa canutus Linn. Yearly becoming scarcer. Not over a dozen specimens it is safe to say are shot each autumn.
 - ---- to ---- to September 14.
- 92. Tringa maritima Brünn. Mr. Le Roy King reports shooting a single bird at Hope Is. Narragansett Bay, Nov. 15, 1902, and it has been recorded from Sakonnet (Auk, 1886, p. 313).
 - ---- to April 15.
 - 93. Tringa maculata Vieill.

April 25. — to October 20.

- 94. Tringa fuscicollis Vieill.
- 95. Tringa bairdii (Coues). Middletown: one taken Sept. 8, 1900, by Le R. King (Notes R. I. Orn., 1900, p. 20); Middletown: one taken Sept. 13, 1900, by W. R. Davenport (Bent, ibid. 1901, p. 6); Middletown: one taken Aug. 27, 1901, by E. Sturtevant (ibid. 1901, p. 24); Jamestown: one taken Sept. 14, 1901, by Le R. King (ibid. 1902, p. 4), Middletown: one taken Sept. 17, 1902, by R. H. Howe, Jr. (ibid. 1902, p. 3). Seven instances in all of its capture.
 - 96. Tringa minutilla Vieill.
 - ---- to May 26.
 - 97. Tringa alpina pacifica (Coues).
 - -----to October 29.

98. Ereunetes pusillus (Linn.). -to---. July 14 to ---99. Ereunetes occidentalis Lawr. 100. Calidris arenaria (Linn.). — to — to November 5. 101. Limosa fedoa (Linn.). An exceedingly rare species in the State. Sakonnet: one taken Aug. 29, 1900, by N. Dexter (Notes R. I. Orn. 1900, p. 22). August 6 to October 2. 102. Limosa hæmastica (Linn.). The flock reported by Mr. King (Notes R. I. Orn. 1902, p. 4) were not absolutely identified. July 22 to October 13. 103. Totanus melanoleucus (Gmel.). - to May 26. July 20 to November 4. 104. Totanus flavipes (Gmel.). — to October 1. 105. Helodromus solitarius (Wils.). May 3 to 20. 106. Symphemia semipalmata (Gmel.). July 2 to — to September 18. 107. Pavoncella pugnax Linn. Ruff.—Sakonnet, Little Compton, a female was shot on July 30, 1900, by Newton Dexter, the fourth New England record (Notes R. I. Orn. 1900, p. 20). 108. Bartramia longicauda (Bechst.). Field Plover, Gray Plover.1 April. August 2 to September 18. 109. Tryngites subruficollis (Vieill.). Newport: one taken Sept. 15, 1900, (Mearns, Notes R. I. Orn. 1900, p. 22); Middletown: one taken Sept. 6, 1900, by W. R. Davenport (ibid.

¹ Birds Long Island, Giraud, p. 227.

Clarke (ibid. 1902, p. 24).

April 16 to October 3.

110. Actitis macularia (Linn.).

1901, p. 6); Middletown: one taken on Sept. 10, 1902, by C. B.

111. Numenius longirostris Wils. Newport: two shot, one on July 15, 1870, one on the 29, 1874, by R. L. Dring (notes

- R. I. Orn. 1901, pp. 14, 21, 22). and several seen by Dr. E. A. Mearns (ibid. 1902, p. 11.
 - 112. Numenius hudsonicus Lath.

April 27 to ---. July 2 to September 25.

113. Numenius borealis (Forst.). Fute. Now practically unheard of in the State.

August 27.

114. Squatarola squatarola (Linn.).

May 15 to 22.

115. Charadrius dominicus Müll. A few birds are taken regularly every autumn. In smaller numbers they still seem to be holding their own.

August 14 to October 25.

116. Ægialitis vocifera (Linn.). Breeds in Lawton's valley, Island of Rhode Island, somewhat regularly. During the spring of 1902 about a dozen birds were observed there. *Pawtuxet* (Newbury, Notes R. I. Orn. 1900, p. 10).

July.

- 117. Ægialitis semipalmata Bonap.
- 118. Ægialitis meloda (Ord). In the last few years has become decidedly more uncommon.

May 15.

119. Arenaria interpres (Linn.).

May 14 to 20. —— to October 8.

- 120. Colinus virginianus (Linn.).
- 121. Bonasa umbellus (Linn.). Mr. H. W. H. Powel reports having taken two together on Bristol promontory during the last ten years.
 - 122. Zenaidura macroura (Linn.).
 - --- to October 15.
- 123. Cathartes aura (Linn.). The Brenton Point, Newport, specimen is now in the Roger Williams Park collection.
- 124. Circus hudsonius (Linn.). Recorded Jan. 26 and 27, 1900, at Middletown (Notes R. I. Orn. 1900, p. 8).
 - 125. Accipiter velox (Wils.).
 - ---- to October 30.
 - 126. Accipiter cooperi (Bonap.).
 - · ---- to November 21.

- 127. Accipiter atricapillus (Wils.).
- 128. Buteo borealis (Gmel.).
- 129. Buteo lineatus (Gmel.).
- 130. Buteo platypterus (Vieill.).
- 131. Archibuteo lagopus sancti-johannis (Gmel.). October to April 12.
- 132. Aquila chrysaëtos (Linn.). The bird taken on Dec. 13-15, 1898, is an *adult* female according to Mr. O. Durfee, and that recorded taken at Tiverton, Nov. 10, 1900, proves to be an example of *H. leucocephalus* (Notes R. I. Orn. 1902, p. 4).
- 133. Haliæetus leucocephalus washingtoni (Aud.). Tiverton: one taken Nov. 10, 1900, (Richards, Notes R. I. Orn. 1901, p. 7 and 1901, p. 4) Lake Worden: one taken Dec. 22, 1900, by (ibid. 1900, p. 3); Block Island: two in immature plumage taken on May 5, 1900, by Capt. E. P. Sisson. (Hathaway, ibid. 1901, p. 24).
 - 134. Falco rusticolis gyrfalco (Linn.).
 - 135. Falco rusticolis obsoletus (Gmel.).
 - 136. Falco peregrinus anatum (Bonap.).
 - The Museum. Vol. I, No. 1, Nov. 15, p. 17.
 - 137. Falco columbarius Linn.
 - April 24 to 29. —— to November 21 (January 4).
 - 138. Falco sparverius Linn.

March to late December.

- 139. Pandion haliaëtus carolinensis (Gmel.). Recorded instance of nesting on a windmill (Bird-Lore, 1900, p. 89).
 - 140. Strix pratincola Bonap.
 - 141. Asio wilsonianus (Less.).
- 142. Asio accipitrinus (Pall.). Bog Owl. Charlestown: A male was shot on December 19, 1900, by Dr. E. A. Mearns (Notes R. I. Orn. 1901, p. 3).
 - ---. September to ---.
 - 143. Syrnium varium (Barton).
- 144. Scotiaptex nebulosum (Forst.). Footnote: Rand. Notes. Vol. I, No. 7, p. 3 should be numbered ² and follow Bull. Nutt. Orn. Club, Vol. VIII, No. 3, p. 183. The latter reference, unnumbered, should replace the former.
 - 145. Cryptoglaux tengmalmi richardsoni (Bonap.).

- 146. Cryptoglaux acadica (Gmel.).
- 147. Megascops asio (Linn.).
- 148. Bubo virginianus (Gmel.). Reported from Lake Worden and Pt. Judith in 1900 by Dr. E. A. Mearns, (Notes R. I. Orn. 1901, p. 4).
- 149. Nyctea nyctea (Linn.). A great flight occurred during the winter of 1901-02. Birds were taken at Newport, Warwick and at Pt. Judith (Notes R. I. Orn. 1900, p. 5 and 1902, p. 13, also Auk, 1902, p. 276).
 - 150. Surnia ulula caparoch (Müll.).
- Mr. J. M. Southwick writes us that in his mind this record is not absolutely authentic.
 - 151. Coccyzus americanus (Linn.).
 - ---- to October 7.
 - 152. Coccyzus erythrophthalmus (Wils.)
 - --- to September 16.
 - 153. Ceryle alcyon (Linn.).

March to November 25.

154. Dendrocopus villosus (Linn.).

September 1 to ——.

- 155. Dendrocopus pubescens medianus (Swains.).
- 156. Sphyrapicus varius (Linn.).

March 23 to April. September 26 to October 11.

- 157. Melanerpes erythrocephalus(Linn.).
- 158. Melanerpes carolinus (Linn.).
- 159. Colaptes auratus luteus Bangs.
- 160. Antrostomus vociferus (Wils.).
- 161. Chordeiles virginianus (Gmel.).
- 162. Chætura pelagica (Linn.).
- 163. Trochilus colubris Linn.

May 3 to ——.

- 164. Tyrannus tyrannus (Linn.).
- 165. Myiarchus crinitus (Linn.).
- ——to August 23.
- 166. Sayornis phœbe (Lath.).

March 8 to ---

167. Nuttallornis borealis (Swains.). Chepachet: one seen May 24, 1900, by Julia M. Hill (Notes R. I. Orn. 1901, p. 6).

- 168. Horizopus virens (Swains.).
- 169. Empidonax flaviventris Baird. West Greenwich: a male was taken on May 21, 1902, by W. A. Angell (Notes R. I. Orn. 1902, p. 25).
 - 170. Empidonax minimus Baird.
 - 171. Otocorys alpestris (Linn.).
- 172. Otocorys alpestris praticola Hensh. J. W. Staintor read J. M. Staintor.
 - 173. Cyanocitta cristata (Linn.).
 - 174. Corvus americanus Aud.

Note: The Fish Crow (*Corrus ossifragus*) has been recorded breeding in Connecticut within sight of Watch Hill (Hill, Notes on R. I. Orn. 1901, p. 24).

- 175. Dolichonyx orizivorus (Linn.).
- 176. Molothrus ater (Bodd.).
- 177. Agelæus phæniceus (Linn.).
- --- to October 19.
- 178. Sturnella magna (Linn.).
- 179. Icterus spurius (Linn.). Nests apparently regularly in small numbers on Brenton's Pt., Newport (Notes R. I. Orn. 1902, p. 18, 19).
 - to July.
 - 180. Icterus galbula (Linn.).
 - ----to September 1.
 - 181. Scolecophagus carolinus (Müll.).
 - 182. Quiscalus quiscula (Linn.).
 - —— to ——. (December 30, 1900, Warwick).
 - 183. Quiscalus quiscula æneus (Ridgw.).
- 184. Pinicola enucleator leucura (Müll.). Johnston: reported on January 14, 1900, (Armstrong, Notes R. I. Orn. 1900, p. 8).
 - 185. Carpodacus purpureus (Gmel.).
 - April 7 to . Jan. 14, 1900.
 - 186. Passer domesticus (Linn.).
 - 187. Loxia curvirostra minor (Brehm).
- 188. Loxia leucoptera Gmel. During the great flight of 1900, they were recorded from Johnston, Pawtucket, and Providence. The first were observed January 14, and the last February 1. (Notes R. I. Orn. 1900, p. 8, 9 and Auk, 1900, p. 175.)

- 189. Acanthis linaria (Linn.). Johnston: reported on Jan. 14, 1900, by E. H. Armstrong (Notes R. I. Orn. 1900, p. 8).
- rgo. Acanthis linaria rostrata (Coues). Greater Red-POLL.— East Providence: The first recorded from the State were two immature males taken on March 14, 1896, by H. S. Hathaway (Notes R. I. Orn. 1900, p. 8).
 - 191. Astragalinus tristis (Linn.).
- 192. Spinus pinus (Wils.). A single bird was seen no May 31, 1897, in Newport by Lt. Wirt Robinson (Notes R. I. Orn. 1900, p. 9).
 - —— to —— (May 31).
 - 193. Plectrophenax nivalis (Linn.).

October 29 to ---

- 194. Calcarius lapponicus (Linn.). The bird recorded taken at Caspee Pt. was taken at Field's Pt. by E. W. Armstrong. 195. Poœcetes gramineus (Gmel.).
 - 196. Passerculus princeps Mayn.
- 197. Passerculus sandwichensis savanna (Wils.). Also recorded now several times during the winter in the salt marshes of Middletown. One taken on Jan. 24, 1900, by Mr. Howe (Shattuck, Notes R. I. Orn. 1900, p. 8) and seven observed on Dec. 22, 1900, by Mr. Howe (ibid. 1900, p. 8) one seen on Dec. 28, 1900, by L. de Z. Mearns (ibid. 1902, p. 20) of these, those which were taken are referable to the subspecies labradorius Howe, a race, perhaps, not worthy of recognition.
 - to October 23. Winter.
 - 198. Ammodramus savannarum passerinus (Wils.).

April 22 to October 23.

- 199. Ammodramus henslowi (Aud.). Two new records are *Warwick*: near Pawtuxet river, an immature specimen taken Oct. 6, 1898, by H. S. Hathaway, (Notes R. I. Orn. 1901, p. 11); *Westerly*: near Brightman's Pond, a male seen on June 6 and 8, 1900, by H. S. Hathaway (ibid. 1901, p. 16).
 - 200. Ammodramus caudacutus (Gmel.).

May 15 to ----.

201. Ammodramus nelsoni subvirgatus Dwight. Charlestown Beach: a male and three others were taken October 15, 1899, by J. M. Staintor (Notes R. I. Orn. 1900, p. 20).

April 27. October 15.

- 202. Ammodramus maritimus (Wils.). From the recent changes in the character of the Middletown marshes it is not likely this species will again be found there. Also recorded from Goose Neck by Lt. W. Robinson, but we believe he referred to A. caudacutus (Notes R. I. Orn. 1902, p. 20).
 - 203. Zonotrichia leucophrys (Forst.).
 - 204. Zonotrichia albicollis (Gmel.).
 - 205. Spizella monticola (Gmel.).

November 7 to April 15.

- 206. Spizella socialis (Wils.).
- --- 13 to ---.
- 207. Spizella pusilla (Wils.)
- 208. Junco hiemalis (Linn.).
- 209. Melospiza cinerea melodia (Wis.).
- 210. Melospiza lincolni (Aud.).
- 211. Melospiza georgiana (Lath.).
- 212. Passerella iliaca (Merr.). Another winter record is of two birds seen at Tiverton on December 23, 1900, by Mr. O. Durfee, and of three at Gray Crag, Middletown, on December 12, 1902, by Mr. E. Sturtevant.
 - —— to ——. to November 27.
 - 213. Pipilo erythrophthalmus (Linn.).
 - 214. Zamelodia ludoviciana (Linn.).

May 4 to ----.

- 215. Guiraca cærulea (Linn.). One record: Drownville, one taken by F. T. Jencks on October 12, 1899, (Hathaway Osprey, 1899, p. 59).
 - 216. Cyanospiza cyanea (Linn.).
 - 217. Cyanospiza ciris (Linn.).
 - 218. Spiza americana (Gmel.).
 - 219. Piranga erythromelas Vieill.
 - 220. Piranga rubra (Linn.).
 - 221. Progne subis (Linn.).
 - ---- to October 8.
 - 222. Petrochelidon lunifrons (Say).

April 28 to September 15.

- 223. Hirundo erythrogastra (Bodd.).
- —— to September 23.

224. Tachycineta bicolor (Vieill.).
: to October 18.
225. Riparia riparia (Linn.).
April 25 to
226. Ampelis cedrorum (Vieill.).
—— to October 8.
227. Lanius borealis Vieill.
November 23 to ——.
228. Lanius ludovicianus migrans W. Palmer. Record
entered under L. l. excubitorides refer to this race. Prudence Island
one shot (male?) on August 30, 1901, by L. di Z. Mearns. The
specimen was unfortunately lost (Notes R. I. Orn. 1901, p. 19).
229. Vireo olivaceus (Linn.).
—— to October 11.
230. Vireo philadelphia (Cass.). West Greenwich: A
female shot on May 21, 1902, by W. A. Angell (Notes R. I. Orn
1902, p. 25).
231. Vireo gilvus (Vieill.).
—— to September 25.
232. Vireo flavifrons Vieill.
233. Vireo solitarius (Wils.). A nest was found at Wes
Greenwich on May 15, 1902, by W. A. Angell (Notes R. I. Orn
1902, p. 25.)
234. Vireo noveboracensis (Gmel.).
235. Mniotilta varia (Linn.).
— to October 7.
236. Protonotaria citrea (Bodd.).
237. Helmithophila pinus (Linn.). Additional records
Hopkinton, one was shot on June 7, 1901, by H. S. Hathaway
another, now in the Smith collection at Roger Williams Parl
was taken at <i>Pawtucket</i> , near Stump Hill Pond on May 30, 1883
(Notes R. I. Orn. 1901, p. 15). 238. Helminthophila chrysoptera (Linn.).
239. Helminthophila rubricapilla (Wils.).
—— to September 17.
240. Helminthophila celata (Say).
241. Helminthophila peregrina (Wils.).
242. Compsothlypis americana usneæ (Brewst.).
— to October 7.
10 000000 /.

```
243. Dendræca tigrina (Gmel.).
  ---- to 20.
  244. Dendræca æstiva (Gmel.).
  245. Dendræca cærulescens (Gmel.).
  246. Dendræca coronata (Linn.).
  September 7 to May 10.
  247. Dendræca maculosa (Gmel.).
  248. Dendræca rara Wils.
  249. Dendræca pennsilvanica (Linn.).
  —— to September 7.
  250. Dendræca castanea (Wils.).
  251. Dendræca striata (Forst.).
  —— to June 17, September 3 to ——.
  252. Dendræca blackburniæ (Gmel.).
  253. Dendræca virens (Gmel.).
  254. Dendræca vigorsii (Aud.).
  255. Dendræca palmarum (Gmel.).
  256. Dendræca palmarum hypochrysea Ridgw.
  September 15 to 26.
  257. Dendræca discolor (Vieill.).
  258. Siurus aurocapillus (Linn.).
  ——to October 19?
  259. Siurus noveboracensis (Gmel.).
  August 12 to September 15.
  260. Siurus motacilla (Vieill.).
  261. Geoth ypis formosa (Wils.).
  262. Geothlypis agilis (Wils.).
  263. Geothlypis philadelphia (Wils.). Recorded from
Chepachet.
  —— to ——. September 4 to (30).
  264. Geothlypis trichas brachidactyla (Swains.). North-
ern Maryland Yellow-throat. A recently described race.
  265. Icteria virens (Linn.).
  - to August 5.
  266. Wilsonia mitrata (Gmel.).
  267. Wilsonia pusilla (Wils.).
  268. Wilsonia canadensis (Linn.).
  May 11 to 25.
```

- 269. Setophaga ruticilla (Linn. .
- ---- to September 8.
- 270. Anthus pennsilvanicus (Lath.).

September 16 to November 28.

- 271. Mimus polyglottos (Linn.).
- 272. Galeoscoptes carolinensis (Linn.). One wintered in Pawtucket from December 28, 1901, until March 4, as recorded by Dr. C. C. Purdum (Auk, 1902, p. 292, 293).

April 17 to October 13.

- 273. Toxostoma rufum (Linn.).
- —— to October 13.
- 274. Thryothorus ludovicianus (Lath.).
- 275. Hylemathrous aëdon (Vieill.).*
- —— to October 7.
- 276. Troglodytes hiemalis Vieill. Wintered at Lake Worden, November and December, 1900.
 - to November 28.
- Footnote: ¹ O. & O., Vo. II, No. 6, p. 84. read ¹ O. & O., Vol. X, No. 6, p. 84.
 - 277. Cistothorus stellaris (Licht.).
- 278. Cistothorus palustris (Wils.). Reed Warbler. Perhaps winters at Pt. Judith where it was observed on November 17, 1899, and November 5, 1900, by H. S. Hathaway (Notes R. I. Orn. 1900, p. 5).
 - 279. Certhia familiaris americana (Bonap.).
 - 280. Sitta carolinensis Lath.
 - 281. Sitta canadensis Linn.
 - to October 5.
 - 282. Parus atricapillus Linn.
 - 283. Parus hudsonicus Forst.

^{*} Granting Hylemathrous a simple name substitute, as Cuvier (Rèque Animal, 1817, Vol. I, p. 370) made the genus Troglodytes "Cuv." as a new genus, specifying but one species Troglodytes, which is included in Vieillot's genus Troglodytes, thus restricting Vieillot's genus to that group; the type of Troglodytes of Cuvier must be the European Wren (Troglodytes troglodytes) as he names only one. Troglodytes therefore stands for the Troglodytes group, which would leave the group including aëdon without a generic name, for which might be used Paulomagus.— HOWE.

284. Regulus satrapa Licht.

September 25 to ——.

- 285. Regulus calendula (Linn.).
- 286. Polioptila cærulea (Linn.).
- 287. Hylocichla mustelina Gmel.
- 288. Hylocichla fuscescens Steph.
- 289. Hylocichla fuscescens fuliginosa Howe. New-FOUNDLAND THRUSH.— The specimens originally recorded under H. f. salicicola Ridgw. have been since referred to this new subspecies. (Auk, 1900, p. 270-271.)

290. Hylocichla aliciæ Baird.

May 20. September 23 to October 7.

291. Hylocichla aliciæ bicknelli (Ridgw.).

292. Hylocichla ustulatus swainsonii (Cab.).

—— to ——. September 27 to ——.

293. Hylocichla guttata pallasi (Cab.).

April 18 to ——. to December 3.

294. Merula migratoria (Linn.).

March 11 to November 28.

295. Sialia sialis (Linn.).

"EXTIRPATED SPECIES."

- 1. Tympanuchus cupido (Linn.). Mr. Edwin R. Lewis read Dr. Edwin etc.
 - 2. Meleagris gallopavo Linn.
- 3. Ectopistes migratorius (Linn.). Another record, *New-port*: one taken October 19, 1868, by R. L. Dring (Notes R. I. Orn. 1901, p. 11).

"HYPOTHETICAL LIST."

- 1. Fratercula glacialis (Temm.).
- 2. Xema sabini (Sab.).
- 3. Gelochelidon nilotica (Hazzelq.).
- 4. Somateria mollissima borealis C. L. Brehm.
 - 5. Rallus crepitans Gmel.

24 SUPPLEMENT TO THE BIRDS OF RHODE ISLAND.

- 6. Tringa ferruginea Brünn.
- 7. Ægialitis wilsonia (Ord).
- 8. Lagopus lagopus (Linn.).

Parus atricapillus septentrionalis (Harris). Erroneously recorded. (Notes R. I. Orn. 1900, p. 4).

"BIBLIOGRAPHY." *

- 1901. "Notes on Rhode Island Ornithology," Vol. II. Edited by Reginald Heber Howe, Junior, Bristol, R. I.
- 1902. "Notes on Rhode Island Ornithology," Vol. III. Edited by Reginald Heber Howe, Junior, Bristol, R. I.
- 1902. Deane, Ruthven. Unusual Abundance of the Snowy Owl (Nyctea nyctea) in New England and Canada. Auk, Vol. XIX, No. 3, July, p. 276.
- 1902. Purdum, C. C. The Catbird again in Rhode Island in Winter, Auk, Vol. XIX, No. 3, July, pp. 292, 293.

ERRATA.

1867 Samuels, Edward S., read Edward A. 1869 Samuels, Edward S., read Edward A.

^{*}Additiona Bibliography: See Notes on R. I. Orn. 1901, p. 12.



